


A1/90


BA15D
Ø 13 x 30 mm



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	mA	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
118100	B 5156	6	200	1,2	2 000	C2V
118101	B 5155	6	500	3	2 000	C2V
118102	B 5158	12	100	1,2	2 000	C2V
118103	B 5157	12	250	3	2 000	C2V
118104	B 5162	24	80	2	2 000	C2F
118105	B 5159	24	125	3	2 000	C2F
118107	B 5160	30	66	2	2 000	C2F
118109	B 5161	30	100	3	2 000	C2F
118111	B 5164	48	40	2	2 000	C2F
118115	B 5169	48	63	3	2 000	C2F
118113	B 5163	48	104	5	2 000	C3A
118106	B 5165	60	20	1,2	2 000	C2F
118108	B 5166	60	40	2,4	2 000	C2F
118119	B 5167	60	50	3	2 000	C2F
118110	B 5168	130	23	3	2 000	C5A
118112	B 5170	240	12	3	2 000	C7A
118114	B 5180	260	19	5	2 000	C7A

A1/91

BA15D
Ø 16 x 35 mm



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	mA	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
117449	B 3513	6	500	3	2 000	C2R
117450	B 3514	6	660	4	2 000	C2R
117451	B 3516	6	830	5	2 000	C2R
117453	B 3519	12	210	2,5	2 000	C2R
117455	B 3522	12	330	4	2 000	C2R
117501	B 3520	12	420	5	2 000	C2R
117502	B 3521	18	400	7	2 000	C2R
117541	B 3523	24	125	3	2 000	C2V
117551	B 3524	24	210	5	2 000	C2V
117556	B 3526	30	130	4	2 000	C2V
117572	B 3525	30	170	5	2 000	C2V

SIGNALISATION
SIGNAL LAMPS




CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	mA	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
117591	B 3527	48	60	3	2 000	C3A
117596	B 3529	48	80	4	2 000	C3A
117601	B 3528	48	100	5	2 000	C3A
117641	B 3531	60	50	3	2 000	C3A
117646	B 3564	60	66	4	2 000	C3A
117652	B 3532	60	80	5	2 000	C3A
117553	B 3574	70	60	4	2 000	C3A
117653	B 3582	85	25	2	2 000	C3A
117654	B 3585	85	48	4	2 000	C3A
117655	B 3533	85	60	5	2 000	C3A
117656	B 3563	85	70	6	2 000	C3A
117701	B 3534	130	38	5	2 000	C5A
117706	B 3540	140	36	5	2 000	C5A
117722	B 3544	140	50	7	2 000	C5A
117751	B 3535	150	33	5	2 000	C5A
117761	B 3545	160	31	5	2 000	C5A
117766	B 3530	230	13	3	2 000	C7A
117799	B 3536	255	20	5	2 000	C7A
117801	B 3537	260	27	7	2 000	C7A
117798	B 3538	260	38	10	1 000	C7A
117769	B 3300	300	16	5	1 000	CC7A
117771	B 3301	300	33	10	1 000	CC7A

EMBALLAGE INDUSTRIEL / Bulk packing = 100 pièces

117542	B 3523 S	24	125	3	2 000	C2F
117552	B 3524 S	24	210	5	2 000	C2F

A1/92

BA15D / BA15S




CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
BA15D Ø 15 x 43 mm					
118085	B 4362	24	5	2 000	C2V
118087	B 4367	48	5	2 000	C3A
118089	B 4369	60	5	2 000	C3A
118086	B 4368	60	7	2 000	C3A
118088	B 4370	80	6	2 000	C3A
118096	B 4372	130	10	2 000	CC5
118090	B 4373	140	7	2 000	CC5
118092	B 4376	250	7	2 000	CC7
118094	B 4378	250	15	1 000	CC7

BA15S Ø 16 x 45 mm

118095	B 4374	48	10	2 000	C3A
118091	B 4377	130	10	2 000	CC5
118093	B 4375	240	10	2 000	CC7

A1/93

BA15D TUBE
Ø 16 x 54 mm



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
118452	B 5315	6	3	2 000	C2R
118451	B 5316	6	5	2 000	C2R
118450	B 5318	12	3	2 000	C2R
118453	B 5320	12	5	2 000	C2R
118445	B 5301	12	10	2 000	C2R
118454	B 5321	12	15	2 000	C2R
118446	B 5302	24	2	2 000	C2V
118456	B 5322	24	3	2 000	C2V
118455	B 5323	24	4	2 000	C2V
118457	B 5324	24	5	2 000	C2V
118459	B 5326	24/30	7/10	2 000	C2V
118458	B 5329	24	12	2 000	C2V
118460	B 5327	24	15	2 000	C2V
118462	B 5325	24	25	1 000	C2V
118476	B 5331	28	15	1 000	C2V
118464	B 5328	30	3	2 000	C2V
118461	B 5330	30	5	2 000	C2V
118447	B 5303	30	15	2 000	C2V
118448	B 5336	36	5	2 000	C2F
118466	B 5351	36	15	2 000	C2F
118449	B 5337	42	5	2 000	C2F
118443	B 5334	42	10	2 000	C2F
118463	B 5335	48	3	2 000	C3A
118465	B 5338	48	5	2 000	C3A
118478	B 5815	48	15	2 000	C2V
118467	B 5339	48/60	7/10	2 000	C3A
118444	B 5304	60	3	2 000	C3A
118469	B 5340	60	5	2 000	C3A
118468	B 5341	60	7	2 000	C3A
118470	B 5342	60	10	2 000	C3A
118479	B 6015	60	15	2 000	C2V
118472	B 5343	130	3	2 000	C5A
118471	B 5344	130	5	2 000	C5A
118474	B 5345	130	15	2 000	C5A
118473	B 5346	110/140	7/10	2 000	C7A
118480	B 6010	160	10	2 000	C5A
118475	B 5348	220/260	5/7	2 000	C7A
118481	B 5350	220/260	7/10	2 000	C7A
118483	B 5352	220/260	10/15	1 000	C7A
118487	B 5354	380	10	1 000	CC7A
118488	B 5355	380	15	1 000	CC7A

EMBALLAGE INDUSTRIEL/Bulk packing = 100 pièces




118482	B 5350 S	220/260	7/10	2 000	C7A
--------	-----------------	---------	------	-------	-----

SIGNALISATION
SIGNAL LAMPS



A1/94


BA15 D
Ø 17 x 48 mm



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
118691	B 5016	6	5	2 000	C2R
118701	B 5020	12	5	2 000	C2R
118731	B 5024	24	5	2 000	C2V
118739	B 5026	24/30	7/10	2 000	C2V
118740	B 5027	42	3	2 000	C2F
118742	B 5029	42	7	2 000	C3A
118741	B 5141	45	5	2 000	C3A
118743	B 5028	48	5	2 000	C3A
118753	B 5030	48/60	7/10	2 000	C3A
118754	B 5033	60	4	2 000	C3A
118755	B 5031	60	5	2 000	C3A
118761	B 5032	130	5	2 000	C5A
118771	B 5034	110/140	7/10	2 000	C5A
118775	B 5035	130	15	2 000	C5A
118781	B 5036	220/260	5/7	2 000	C7A
118791	B 5038	220/260	7/10	2 000	C7A
118796	B 5039	260	15	1 000	C7A
118797	B 5040	380	10	1 000	C7A

A1/95


BA15D TUBE
Ø 22 x 65 mm - Ø 26 x 80 mm



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DIMENSIONS DxL (MM)	DURÉE DE VIE AC LIFE
POUR LA SIGNALISATION / For signalisation					
124572	B 6630	130	15	22 x 65	1 000
124575	B 6632	130	25	22 x 65	1 000
124580	B 6636	230/240	15	22 x 65	1 000
124584	B 6638	230/240	25	22 x 65	1 000
124590	B 6640	230/240	40	26 x 80	1 000
POUR L'ÉCLAIRAGE GÉNÉRAL / For general lighting					
006255	TB 1960	230	25	26 x 80	1 000
006256	TB 1961	230	40	25 x 90	1 000

A1/96

BA15D POIRETTE
Ø 22 x 48 mm - Pear form




CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE	FILAMENT
118879	B 5201	12	5	2 000	C2R
118880	B 5212	12	7	2 000	C2R
118883	B 5213	12	10	2 000	C2R
118885	B 5214	12	15	2 000	C2R
118903	B 5305	24	5	2 000	C2V
118890	B 5224	24	7	2 000	C2V
118893	B 5225	24	10	2 000	C2V
118895	B 5227	24	15	2 000	C2V
118896	B 5226	24	25	2 000	C2V
118897	B 5229	48	15	2 000	C3A
118904	B 5365	60	5	2 000	C3A
118900	B 5228	60	7	2 000	C3A
118902	B 5232	60	10	2 000	C3A
118905	B 5230	60	15	2 000	C3A
118910	B 5234	110/140	7/10	2 000	C5A
118915	B 5236	130	15	2 000	C5A
118920	B 5237	220/260	5/7	2 000	C7A
118925	B 5238	220/260	7/10	2 000	C7A
118935	B 5239	220/260	10/15	2 000	C7A
118930	B 5240	230/240	15	1 000	C7A
118933	B 5241	230/240	25	1 000	C7A

SIGNALISATION
SIGNAL LAMPS



A1/97


BA15D POIRETTE
Ø 26 x 54 mm - Pear form



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE
124249	B 5420	12	10	1 000
124251	B 5422	12	15	1 000
124253	B 5424	12	25	1 000
124255	B 5426	24	10	1 000
124257	B 5428	24	15	1 000
124259	B 5429	24	25	1 000
124248	B 5430	125/130	6/10	2 000
124250	B 5432	125/130	15	1 000
124252	B 5434	125/130	25	1 000
124254	B 5440	220/235	6/10	2 000
124256	B 5442	220/235	15	1 000
124258	B 5444	220/235	25	1 000

A1/98


BA15D POIRETTE (CARAVANES ET BATEAUX)
Ø 35 x 60 mm - Pear form



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE
124262	B 5510	12	15	1 000
124264	B 5512	12	25	1 000
124266	B 5514	12	40	1 000
124263	B 5516	24	25	1 000
124265	B 5518	24	40	1 000
124267	B 5520	48	25	1 000

A1/99


BA15D SPHERIQUE
Ø 25 x 45 mm



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	DURÉE DE VIE AC LIFE
124548	B 7345	12	15	1 000
124549	B 7350	24	10	1 000
124550	B 7355	30	10	2 000
124556	B 7357	42	5	2 000
124555	B 7361	48	10	2 000
124553	B 7363	60	10	2 000
124557	B 1008	85	10	2 000
124558	B 1010	95	10	2 000
124560	B 7384	125	15	2 000
124565	B 7402	230	15	2 000

A1/100

B15D SPHERIQUE
Ø 45 x 70 mm - Round glass



CODE STOCK PART NUMBER	RÉFÉRENCE	VOLTS	WATTS	VERRE GLASS
124244	B 7346	12	25	CLAIR/CLEAR
124245	B 7347	12	40	CLAIR/CLEAR
124246	B 7352	24	25	CLAIR/CLEAR
124247	B 7353	24	40	CLAIR/CLEAR
124551	B 7351	24	40	DÉPOLIE/FROSTED
124260	B 7354	240	40	DÉPOLIE/FROSTED

SIGNALISATION
SIGNAL LAMPS